

# BREAKOUT BOX 6

## Datasheet

### Support information

<https://raynov.ma/>

[contact@raynov.ma](mailto:contact@raynov.ma)

Raynov Rue Ancoli, Rabat-Morocco

+212 537570705

Copyright

Copyright © RAYNOV . Published in 2023. All Rights Reserved.

Date: 04/09/2023

## Description

---

Raynov Breakout box devices serve as essential tools for conducting comprehensive system tests. These devices separate individual wires from complex harnesses, making it easier to evaluate various systems and collect accurate data. They contribute to efficient troubleshooting and diagnostics across a range of applications, including automotive and aerospace.

Raynov Breakout boxes circular connectors series are equipped with 2 sockets for each point that are connected using one jumper.

Breakout box 6 offers 6 test points pin and uses a 2mm Banana connector with blue and green coding colors to identify input and output, respectively.


## Features

---

## Front panel description

---

The following section describes the main Raynov Breakout box 6 front panel.



Connector	Description
① 2mm Banana Blue	Blue connector Banana 2mm, input point.
② 2mm Banana Green	Green connector Banana 2mm, output point.
③ Jumper	Jumper 2 mm / 5 mm that connect input point to output point.
④ Connector	Circular input and output connector.

## Package Drawings and Dimensions

---

Device	W(mm)	D(mm)	H(mm)
<b>BREAKOUT BOX 6</b>	<b>76</b>	<b>35</b>	<b>100</b>

W Dimension designed to accommodate the BREAKOUT BOX 6 width.

D Dimension designed to accommodate the BREAKOUT BOX 6 depth.

H Dimension designed to accommodate the BREAKOUT BOX 6 height.

The real BREAKOUT BOX 18 dimensions are represented in the figure below.

